

**References for Joslin's Clinical Guideline for Adults with Diabetes
02/27/08**

SUBJECT		AUTHORS	TITLE	JOURNAL
A1C	1	American Diabetes Association	The absence of a glycemic threshold for the development of long term complications: the perspective of the Diabetes Control and Complications Trial	Diabetes. 1996 Oct; 45(10): 1289-98
	2	Cagliero E, Levina EV, Nathan DM	Immediate feedback of HbA1c levels improves glycemic control in type 1 and insulin-treated type 2 diabetic patients	Diabetes Care. 1999 Nov; 22(11): 1785-9
	3	Delamater A	Clinical use of hemoglobin A1c to improve diabetes management	Clinical Diabetes. 2006, Vol. 24, (1)
	4	Ferenczi A, Reddy K, Lorber DL	Effect of immediate hemoglobin A1c results on treatment decisions in office practice	Endocr Pract. 2001 Mar-April; 7(2): 85-8
	5	Karter AJ, Ackerson LM, Darbinian JA, D'Agostino RB Jr, Ferrara A, Liu J, Selby JV	Self-monitoring of blood glucose levels and glycemic control: The Northern California Kaiser Permanente Diabetes Registry	Am J Med. 2001 Jul; 111(1): 1-9
	6	Manley S	Haemoglobin A1c-a marker for complications of type 2 diabetes: the experience from the UK Prospective Diabetes Study (UKPDS)	Clin Chem Lab Med. 2003 Sep; 41(9): 1182-90
	7	Martin DD, Shephard MD, Freeman H, Bulsara MK, Jones TW, Davis EA, Maguire GP	Point of care testing: HbA1c and blood glucose in a remote Aboriginal Australian community	Med J Aust. 2005 May 16; 182(10): 524-7
	8	Miller CD, Barnes CS, Phillips LS, Ziemer DC, Gallina DL, Cook CB, Maryman SD, El-Kebbi IM	Rapid A1c availability improves clinical decision making in an urban primary care clinic	Diabetes Care. 2003 26:1158-1163
	9	Thaler LM, Ziemer DC, Gallina DL, Cook CB, Dunbar VG, et al	Diabetes in urban African Americans. XVII. Availability of rapid HbA1c measurements enhances clinical decision making	Diabetes Care. 1999 Sep; 22(9): 1415-21

	10	American Diabetes Association	The relationship of glycemic exposure (HbA1c) to the risk of development and progression of retinopathy in the diabetes control and complications trial	Diabetes. 1995 Aug; 44(8): 968-83
	11	Bretzel RG	Intensive insulin regimens: evidence for benefit	Int J Obes Relat Metab Disord. 2004 Sep; 28 Suppl 2:S8-13
	12	Cervený JD, Leder RD, Weart CW	Issues surrounding tight glycemic control in people with type 2 diabetes mellitus	Ann Pharmacother. 1998 Sep; 32(9): 896-905
	13	DCCT	The effect of intensive treatment of diabetes on the development and progression of long-term complications in the insulin-dependent diabetes mellitus. The Diabetes Control and Complications Trial Research Group	N Engl J Med. 1993 Sep 30; 329(14): 977-86
	14	Klein R, Klein BE	Relation of glycemic control to diabetic complications and health outcomes	Diabetes Care. 1998 Dec; 21 Suppl 3:C39-43
	15	Kovatchev BP, Cox DJ, Gonder-Frederick L, Clarke WL	Methods for quantifying self-monitoring blood glucose profiles exemplified by an examination of blood glucose patterns in patients with type 1 and type 2 diabetes	Diabetes Technol Ther. 2002; 4(3): 295-303
BLOOD PRESSURE	1	Adler AI, Stratton IM, Neil HA, Yudkin JS, Matthews DR, Cull CA, Wright AD, Turner RC, Holman RR	Association of systolic blood pressure with macrovascular and microvascular complications of type 2 diabetes (UKPDS 36): Prospective observational study	BMJ. 2000 Aug 12; 321(7258): 412-9
	2	Chobanian AV et al	The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure	JAMA. 2003 May; 289(19): 2560-2572
	3	Hansson L, Zanchetti A, Carruthers SG, Dahlöf B, Elmfeldt D, Julius S, Menard J, et al	Effects of intensive blood pressure lowering and low dose aspirin in patients with hypertension: Principal results of the Hypertension Optimal Treatment (HOT) randomised trial. HOT study group	Lancet. 1998 Jun 13; 351(9118): 1755-62

	4	Lewington S, Clarke R, Qizilbash N, Peto R, Collins R; Prospective Studies Collaboration	Age-specific relevance of usual blood pressure to vascular mortality: A meta-analysis of individual data for one million adults in 61 prospective studies	Lancet. 2002 Dec 14; 360(9349): 1903-13
	5	Ramsay LE, Williams B, Johnston GD, MacGregor GA, Poston L, Potter JF, Poulter NR, Russel G	Guidelines for management of hypertension: Report of the third working party of the British Hypertension Society	J Hum Hypert. 1999; 13:569-92
	6	UKPDS	Tight blood pressure control and risk of macrovascular and microvascular complications in type 2 diabetes: UKPDS 38. UK Prospective Diabetes Study Group	BMJ. 1998 Sep 12; 317(7160): 703-13
	7	Vijan S, Hayward RA	Treatment of hypertension in type 2 diabetes mellitus: Blood pressure goals, choice of agents, and setting priorities in diabetes care	Ann Intern Med. 2003 Apr 1; 138(7): 593-602
CARDIOVASCULAR HEALTH	1	American Diabetes Association	Peripheral arterial disease in people with diabetes	Diabetes Care. 2003 26(12): 3333-3341
	2	Antiplatelet Trialists' Collaboration	Collaborative overview of randomised trials of antiplatelet therapy--I: Prevention of death, myocardial infarction, and stroke by prolonged antiplatelet therapy in various categories of patients. Antiplatelet Trialists' Collaboration	BMJ. 1994 Jan 8; 308(6921): 81-106
	3	Boule NG, Haddad E, Kenny GP, Wells GA, Sigal RJ	Effects of exercise on glycemic control and body mass in type 2 diabetes mellitus: a meta-analysis of controlled clinical trials	JAMA 2001 Sep; 286(10): 1218-27
	4	Boule NG, Kenny GP, Haddad E, Wells GA, Sigal RJ	Meta-analysis of the effect of structured exercise training on cardiorespiratory fitness in type 2 diabetes mellitus	Diabeteologia 2003; 46:1071-1081

	5	Bredie SJ, Wollersheim H, Verheugt FW, Thien T	Low-dose aspirin for primary prevention of cardiovascular disease	Semin Vasc Med. 2003 May; 3(2): 177-84
	6	Catella-Lawson F, Muredach RP, Kapoor SC, Cucchiara AJ, DeMarco S, Tournier B, Vyas SN, Fitzgerald GA	Cyclooxygenase inhibitors and the antiplatelet effects of aspirin	N Engl J Med. 2001 Dec 20; 345(25): 1809-1817
	7	Colhoun HM, Betteridge DJ, Durrington PN, Hitman GA, et al	Primary prevention of cardiovascular disease with atorvastatin in type 2 diabetes in the collaborative atorvastatin diabetes study (CARDS): Multicentre randomised placebo-controlled trial	Lancet. 2004. Aug 21; 364:685-696
	8	Colwell JA	Antiplatelet agents for the prevention of cardiovascular disease in diabetes mellitus	Am J Cardiovasc Drugs. 2004; 4(2): 87-106
	9	DCCT	Effect of intensive therapy on residual beta cell function in patients with type 1 diabetes in the diabetes control and complications trial. A randomized, controlled trial. The Diabetes Control and Complications Trial Research Group	Ann Intern Med. 1998 Apr 1; 128(7): 517-23
	10	ETDRS Investigators	Aspirin effects on mortality and morbidity in patients with diabetes mellitus. Early Treatment Diabetic Retinopathy Study report 14. ETDRS Investigators	JAMA. 1992 Sep 9; 268(10): 1292-300
	11	Hayden M, Pignone M, Phillips C, Mulrow C	Aspirin for the primary prevention of cardiovascular events: A summary of the evidence for the U.S. Preventive Task Force	Ann Intern Med. 2002 Jan 15;136(2):161-72
	12	Kong DF	Aspirin in cardiovascular disorders. What is the optimum dose?	Am J Cardiovasc Drugs. 2004;4(3):151-8

	13	Lindholm LH, Ibsen H, Dahlof B, Devereux RB, Beevers G, de Faire U, Fyhrquist F, Julius S, Kjeldsen SE, Kristiansson K, Lederballe-Pedersen O, Nieminen MS, Omvik P, Oparil S, Wedel H, Aurup P, Edelman J, Snapinn S; LIFE Study Group	Cardiovascular morbidity and mortality in patients with diabetes in the Losartan Intervention for Endpoint reduction in hypertension study (LIFE): A randomised trial against atenolol	Lancet. 2002 Mar 23;359(9311):1004-10
	14	Meigs JB, Larson MG, D'Agostino RB, Levy D, Clouse ME, Nathan DM, Wilson PW, O'Donnell CJ	Coronary artery calcification in type 2 diabetes and insulin resistance: the Framingham offspring study	Diabetes Care. 2002 Aug;25(8):1313-9.
	15	Nguyen KX, Marinac JS, Sun C	Aspirin for primary prevention in patients with diabetes mellitus	Fam Med. 2005 Feb; 37(2):112-7
	16	Nobles-James C, James EA, Sowers JA	Prevention of cardiovascular complications of diabetes mellitus by aspirin	Cardiovasc Drug Rev. 2004 Fall; 22(3):215-26
	17	Nowak SN, Jaber LA	Aspirin dose for prevention of cardiovascular disease in diabetics	Ann Pharmacother. 2003 Jan;37(1):116-21
	18	Reichard P, Nilsson BY, Rosenqvist U	The effect of long term intensified insulin treatment on the development of microvascular complications of diabetes mellitus	N Engl J Med. 1993 Jul 29;329(5):304-9
	19	Sacco M, Pellegrini F, Roncaglioni MC, Avanzini F, Tognoni G, Nicolucci A; PPP Collaborative Group	Primary prevention of cardiovascular events with low-dose aspirin and vitamin E in type 2 diabetic patients: Results of the Primary Prevention Project (PPP) trial	Diabetes Care. 2003 Dec;26(12):3264-72
	20	Stamler J, Vaccaro O, Neaton JD, Wentworth D	Diabetes, other risk factors, and 12-yr cardiovascular mortality for men screened in the multiple risk factor intervention trial	Diabetes Care. 1993 Feb; 16(2):434-44

	21	Steering Committee of the Physicians' Health Study Research Group	Final report on the aspirin component of the ongoing Physicians' Health Study. Steering Committee of the Physicians' Health Study Research Group	N Engl J Med. 1989 Jul 20;321(3):129-35
	22	Stratton IM, Adler AI, Neil HA, Matthews DR, Manley SE, Cull CA, et al	Association of glycemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): Prospective observational study	BMJ. 2000 Aug 12;321(7258):405-12
	23	The Heart Outcomes Prevention Evaluation Study Investigators	Effects of an angiotensin-converting enzyme inhibitor, ramipril, on cardiovascular events in high risk patients	N Engl J Med. 2000 Jan 20;342(3):145-153
	24	Tuomilehto J, Rastenyte D, Birkenhager WH, Thijs L, Antikainen R, Bulpitt CJ, Fletcher AE, Forette F, Goldhaber A, Palatini P, Sartori C, Fagard R; Systolic Hypertension in Europe Trial Investigators	Effects of calcium-channel blockade in older patients with diabetes and systolic hypertension	N Engl J Med. 1999;340(9):677-84
	25	US Preventive Task Force	Aspirin for the primary prevention of cardiovascular events: Recommendation and rationale	Ann Intern Med. 2002 Jan 15;136(2):157-160
	26	Nabel E	Accord Tele-briefing prepared remarks 2/6/2008	www.nhlbi.nih.gov/health/prof/heart/other/accord/nabel_remarks.htm - 38k -
DENTAL CARE	1	American Academy of Periodontology	Diabetes and periodontal disease	J Periodontol 1996 Feb;166-76
	2	Karjalainen K TT	Periodontal disease related to diabetic status. A pilot study of the response to periodontal therapy in type 1 diabetes	J Clin Periodont 1997; 24: 505-510

	3	Simpson TC, Needleman IG, Wild SH, Moles DR, Mills EJ	Type 1 diabetes mellitus and oral health: Assessment of periodontal disease	Cochrane Dat Syst Rev. 2004;2(CD004714)
	4	Tervonen T, Karjalainen K	Routine dental visits are associated with tooth retention in Brazilian adults: The Pro-Saude study	J Clin Periodontol. 1997 Jul;24(7):505-10
	5	Moore PA, Weyant RJ, Mongelluzo MB, Myers DE, Rossie K, Guggenheimer J, Block HM, Huber H, Orchard T	Periodontal disease related to diabetic status. A pilot study of the response to periodontal therapy in type 1 diabetes	J Periodontol. 1999 Apr;70(4):409-17
DIABETES SELF-MANAGEMENT EDUCATION	1	Cox DJ, Gonder-Frederick LA, Lee JH, Julian DM, Carter WR, Clarke WL	Effects and correlates of blood glucose awareness training among patients with IDDM	Diabetes Care. 1989 May;12(5):313-8
	2	Cox DJ, Gonder-Frederick L, Julian D, Cryer P, Lee JH, Richards FE, Clarke W	Intensive versus standard blood glucose awareness training (BGAT) with insulin-dependent diabetes: Mechanisms and ancillary effects	Psychosom Med. 1991 Jul-Aug;53(4):453-62
	3	Cox DJ, Gonder-Frederick L, Polonsky W, Schlundt D, Kovatchev B, Clarke W	Blood glucose awareness training (BGAT-2): Long-term benefits	Diabetes Care. 2001 Apr;24(4):637-42
	4	Kinsley BT, Weinger K, Bajaj M, Levy CJ, Simonson DC, Quigley M, Cox DJ, Jacobsen AM	Blood glucose awareness training and epinephrine responses to hypoglycemia during intensive treatment in type 1 diabetes	Diabetes Care. 1999 Jul;22(7):1022-8
	5	American Association of Diabetes Educators	The 1999 Scope of Practice for Diabetes Educators and the Standards of Practice for Diabetes Educators. American Association of Diabetes Educators	Diabetes Educ. 2000 Jan-Feb;26(1):25-31
	6	American Association of Diabetes Educators	Individualization of diabetes self management education	Diabetes Educ. 2002 Sep-Oct;28(5):741-5, 749
	7	American Association of Diabetes Educators	Standards for outcomes measurement of diabetes self management education	Diabetes Educ. 2003 Sep-Oct;29(5):804, 808-10,813-6
	8	American Diabetes Association Task Force for Writing Nutrition Principles and Recommendations for the Management of Diabetes and Related Complications	American Diabetes Association position statement: Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications	J Am Diet Assoc. 2002 Jan;102(1):109-18

	9	Banister NA, Jastrow ST, Hodges V, Loop R, Gillham MB	Diabetes self-management training program in a community clinic improves patient outcomes at modest community	J Am Diet Assoc. 2004 May;104(5):807-10
	10	Broers S, van Vliet KP, le Cessie S, Spinhoven P, van der Ven NC, Radder JK	Blood glucose awareness training in Dutch type 1 diabetes patients: Short-term evaluation of individual and group training	Diabet Med. 2002 Feb;19(2):157-61
	11	Broers S, van Vliet KP, le Cessie S, Spinhoven P, van der Ven NC, Radder JK	Blood glucose awareness training in Dutch type 1 diabetes patients: One year follow up	Neth J Med. 2005 May;63(5):16409
	12	Deakin T, McShane CE, Cade JE, Williams RD	Group based training for self-management strategies in people with type 2 diabetes mellitus	Cochrane Database Syst Rev. 2005 Apr 18;(2):CD003417
	13	Goudswaard AN, Stolk RP, Zuithoff NP, de Valk HW, Rutten GE	Long-term effects of self-management education for patients with Type 2 diabetes taking maximal oral hypoglycaemic therapy: a randomized trial in primary care	Diabet Med. 2004 May;21(5):491-6
	14	Mensing C, Lasichak A, Boucher J, Lamb B, et al	National Standards for Diabetes Self-Management Education	Diabetes Care. 2006 Jan;29(Suppl 1):S78-S85
	15	Mulcahy K, Maryniuk M, Peeple M, Peyrot M, Tomky D, Weaver T, Yarborough P	Diabetes self management education core outcomes measures	Diabetes Educ. 2003 Sep-Oct;29(5):768-70, 773-84, 787-8
	16	Norris SL, Engelgau MM, Narayan KM	Effectiveness of self-management training in type 2 diabetes: a systemic review of randomized controlled trials	Diabetes Care. 2001 Mar;24(3):561-87
	17	Norris SL et al	Long-term effectiveness of lifestyle and behavioral weight loss interventions in adults with type 2 diabetes: A meta-analysis	The American Journal of Medicine. 2004 Nov; 117:762-74
	18	Norris SL, Lau J, Smith SJ, Schmid CH, Engelgau MM	Self-management education for adults with type 2 diabetes: A meta-analysis of the effect on glycemic control	Diabetes Care. 2002 Jul;25(7):1159-71

	19	Polonsky WH, Earles J, Smith S, Pease DJ, Macmillan M, Christensen R, Taylor T, Dickert J, Jackson RA	Integrating medical management with diabetes self-management training: A randomized control trial of the Diabetes Outpatient Intensive Treatment program	Diabetes Care. 2003 Nov;26(11):3048-53
	20	Strine TW, Okoro CA, Chapman DP, Beckles GL, Balluz L, Mokdad AH	The impact of formal diabetes education on the preventive health practices and behaviors of persons with type 2 diabetes	Prev Med. 2005 Jul;41(1):79-84. Epub 2004 Nov 19
	21	Warsi A, Wang PS, LaValley MP, Avorn J, Solomon DH	Self-management education programs in chronic disease: A systematic review and methodological critique of the literature	Arch Intern Med. 2004 Aug 9-23;164(15):1641-9
	22	Schwartz RS	Exercise training in treatment of diabetes mellitus in elderly patients	Diabetes Care. 1990;13(Suppl 2):77-85
	23	UKPDS	Intensive blood-glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes (UKPDS 33)	Lancet. 1998 Sep 12;352(9131):837-53
	24	UKPDS	Effect of intensive blood glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS 34). UK Prospective Diabetes Study (UKPDS) Group	Lancet. 1998 Sep 12;352(9131):854-65
	25	Van der Ven NC, Hogenelst MH, Tromp-Wever AM, Twisk JW, van der Ploeg HM, Heine RJ, Snoek FJ	Short term effects of cognitive behavioural group training (CBGT) in adult type 1 diabetes patients in prolonged poor glycaemic control. A randomized controlled trial	Diabetes Med. 2005 Nov;22(11): 1619-23
	26	Wang PH, Lau J, Chalmers TC	Meta-analysis of the effects of intensive glycemic control on late complications of type 1 diabetes mellitus	Online J Curr Clin Trials. 1993 May 21;Doc No 60:[5023 words; 37 paragraphs]
	27	Woolf SH, Davidson MB, Greenfield S, Bell HS, et al	Controlling blood glucose levels in patients with type 2 diabetes mellitus. An evidence based policy statement by the American Academy of Family Physicians and American Diabetes Association	J Fam Pract. 2000 May;49(5):453-60

	28	Daly A, Franz MJ, Holzmeister LA, et al	New diabetes nutrition resources	J Am Diet Assoc. 2003;103(7):832-4
	29	DCCT	Expanded role of the dietitian in the diabetes control and complications trial: implications for clinical practice	J Am Diet Assoc. 1993;93(7):758-767
	30	Delahanty LM, Halford BN	The role of diet behaviors in achieving improved glycemic control in intensively treated patients in the diabetes control and complications trial	Diabetes Care. 1993;16(11):1453-58
	31	Franz MJ, Bantle JP, Beebe CA et al	Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications	Diabetes Care. 2002 Jan(25)1:148-98
	32	Franz MJ, Bantle JP, Beebe CA et al	Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications	Diabetes Care. 2003 Jan;26 Suppl1:S51-61
	33	Franz MJ, Bantle JP, Beebe CA et al	Nutrition principles and recommendations in diabetes	Diabetes Care. 2004 Jan;27 Suppl 1:S36-46
	34	Franz MJ, Splett PL, Monk A, et al	Cost-effectiveness of medical nutrition therapy provided by dietitians for persons with non-insulin dependent diabetes mellitus	J Am Diet Assoc. 1995;95(9):1018-1024
	35	Franz MJ	Medical nutrition therapy for hypertension and albuminuria	Diabetes Spectrum. 2006 19:32-38
	36	Franz MJ.	Evidence based medical nutrition therapy for diabetes	Nutr Clin Pract. 2004 Apr;19(2):137-44

	37	Brown SA	Interventions to promote diabetes self-management: state of the science	Diabetes Educ. 1999 Nov-Dec;25(6 Suppl):52-61
	38	American Diabetes Association	Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications	Diabetes Care. 2002 Jan;25(1):202-212
	39	American Diabetes Association	Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes	Nutr Clin Care. 2003 Oct-Dec;6(3):115-9
	40	Geil P, Leontos C	Nutrition practice guideline care improves diabetes outcomes	Diabetes Spectrum. 2004;17(2):83-86
	41	Johnson EQ, Valera S	Medical nutrition therapy in non-insulin dependent diabetes mellitus improves clinical outcome	J Am Diet Assoc. 1995;95(6):700-1
	42	Pastors JG, Warshaw h, Daly A, Franz M, Kulkarni k	The evidence for the effectiveness of medical nutrition therapy in diabetes management	Diabetes Care, Volume 25, Number 3, March 2002
	43	Pearce LC	New evidence-based diabetes nutrition recommendations: Correcting myths and updating practice	Home Health Nurse. 2003 Apr;21(4):249-57
	44	Pedrini MT, Levey AS, Lau J, Chalmers TC, Wang PH	The effect of dietary protein restriction on the progression of diabetic and nondiabetic renal diseases: A meta-analysis	Ann Intern Med. 1996 Apr 1;124(7):627-32
	45	Sikand G, Kashyap ML, Wong ND, et al	Dietitian intervention improves lipid values and saves medication costs in men with combined hyperlipidemia and a history of niacin noncompliance	J Am Diet Assoc.2000;100(2):218-224
EYES	1	American Academy of Ophthalmology Retina Panel	Diabetic retinopathy	American Academy of Ophthalmology. 2003 Preferred Practice Pattern
	2	Ciulla T, Amador A, Zinman B	Diabetic retinopathy and diabetic macular edema	Diabetes Care. Vol 26, No. 9, Sept 2003
	3	DCCT	Early worsening of diabetic retinopathy in the Diabetes Control and Complications Trial	Arch Ophthalmol. 1998 Jul;116(7):874-86

	4	DCCT	Retinopathy and nephropathy in patients with type 1 diabetes four years after a trial intensive therapy. The Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications Research Group	N Engl J Med. 2000 Feb 10;342(6):381-9
	5	DCCT	Early worsening of diabetic retinopathy in the Diabetes Control and Complications Trial	Arch. Of Ophthalmology. Vol 116(7): July 1998; 874-886
	6	DCCT	Progression of retinopathy with intensive versus conventional treatment in the Diabetes Control and Complications Trial	Ophthalmology 1995;102:647-661
	7	Early Treatment Diabetic Retinopathy Study Research Group	Photocoagulation for diabetic macular edema	Arch. Ophthalmology vol. 103, Dec 1985; 1796-1806
	8	Fong D, Cavallerano J, Aiello L, Ferris F, King G, et al	Diabetic retinopathy	Diabetes Care, Vol 26. No. 1; Jan 2003
	9	Fong D, Cavallerano J, Aiello L, Ferris F, King G, et al	Retinopathy in diabetes	Diabetes Care. Vol 27, Suppl. 1, January 2004
	10	Fong D, Cavallerano J, Aiello L, Ferris F, King G, et al	Fundus photographic risk factors for progression of diabetic retinopathy	Diabetes Care. Vol.27, Suppl 1, January 2004
	11	Fong D, Ferris F, Klein R, Aiello L	Diabetic retinopathy	Diabetes Care, Vol 27; No. 10; October 2004
	12	Fransen SR, Leonard-Martin TC, Feuer WJ, Hildebrand PL; The Inoveon Health Research Group	Clinical evaluation of patients with diabetic retinopathy	Ophthalmology 2002;109:595-601
	13	Lee P, Feldman Z, Ostermann J, Brown D, Sloan F	Longitudinal rates of annual eye examinations of persons with diabetes and chronic eye diseases	Ophthalmology 2003;110:1952-1959
	14	Murphy C, Newton W	How frequently should patients with type 2 diabetes mellitus be screened for retinopathy?	J Fam Pract. Vol 49(5). May 2000.395-396
	15	Sandeep V, Hofer TP, Hayward R	Cost-utility analysis of screening intervals for diabetic retinopathy in patients with type 2 diabetes Mellitus	JAMA. 2000 Feb; 16(889-896)

	16	Vijan S, Hofer T, Hayward R.	Cost-utility analysis of screening intervals for diabetic retinopathy in patients With type 2 diabetes mellitus	JAMA. Vol 283(7). Feb 16, 2000.889-896
	17	Younis N, Broadbent D, Vora J, Harding S	Prevalence of diabetic eye disease in patients entering a systemic primary care based eye screening programme	Diabetic Medicine, 19, 1014-1021. 2002
	18	Younis N, Broadbent D, Vora J, Harding S	Incidence of sight-threatening retinopathy in type 1 diabetes in a systemic screening programme	Diabetic Medicine, 20, 758-765, 2003
	19	Younis N, Broadbent D, Vora J, Harding S	Incidence of sight-threatening retinopathy in patients with type 2 diabetes in the Liverpool Diabetic Eye Study: A cohort study	The Lancet. Vol 361, Jan 18, 2003
	20	American Optometric Association Consensus Panel on Diabetes	Care of the patient with diabetes mellitus	American Optometric Association
	21	Klein R, Klein BEK, Moss SE, Davis ME, DeMets DL	The Wisconsin Epidemiologic Study of Diabetic Retinopathy II. Prevalence and risk of diabetic retinopathy when age at diagnosis is less than 30 years	Arch Ophthalmol 1984;102:520-526
	22	Klein R, Klein BEK, Moss SE, Cruickshanks KJ	The Wisconsin Epidemiologic Study of Diabetic Retinopathy: XVII. The 14 year incidence and progression of diabetic retinopathy and associated risk factors in type 1 diabetes	Ophthalmology 1998;105:1801-1815
	23	Palmberg P, Smith M, Waltman S, Krupin T, Singer P, Burgess D, Wendtlan T, Achtemberg J, Cryer P, Santiago J, White N, Kilo C, Daughaday W	The natural history of retinopathy in insulin-dependent juvenile-onset diabetes	Ophthalmology 1980;87:1-9
	24	Frank R, Hoffman W, Podgor M, Joondeph H, Lewis R, Margherio R, Nachazel D, Weiss H, Christopherson K, Cronin M	Retinopathy in juvenile-onset diabetes of short duration	Ophthalmology 1980;87:1-9
	25	Kohner E, Aldington S, Stratton I, Manley S, Holman R, Matthews D, Turner R	United Kingdom Prospective Diabetes Study: Diabetic retinopathy at diagnosis of non-insulin dependent diabetes mellitus and associated risk factors	Arch Ophthalmol 1998;116:297-303

	26	Saxer-Siegel R, Hod M, Fink-Cohen S, Kramer M, Weinberger D, Schindel B, Yassur Y	Diabetic retinopathy during pregnancy	Ophthalmology 1996;103:1815-1819
	27	Chew E, Mills J, Metzger B, Remalley N, Joanovic-Peterson L, Knopp R, Conley M, Rand L, Simpson J, Holmes L, Aarons J	National Institute of Child Health and Human Development Diabetes in Early Pregnancy Study. Metabolic control and progression of retinopathy	Diabetes Care 1995;18:631-7
	28	Klein BEK, Moss S, Klein R.	Effect of pregnancy on progression of diabetic retinopathy	Diabetes Care 1990;13:34-40
	29	Early Treatment Diabetic Retinopathy Study Research Group	Early Treatment Diabetic Retinopathy Study Report Number 9: Early photocoagulation for diabetic retinopathy	Ophthalmology 1991;98:766-785
	30	Early Treatment Diabetic Retinopathy Study Research Group	Early Treatment Diabetic Retinopathy Study Report Number 10: Grading diabetic retinopathy from stereoscopic color fundus photographs- An extension of the modified Airlie House Classification	Ophthalmology 1991;98:786-806
	31	Early Treatment Diabetic Retinopathy Study research Group	Early Treatment Diabetic Retinopathy Study Report Number 12: Fundus photographic risk factors for progression of diabetic retinopathy	Ophthalmology 1991;98:823-33
FEET	1	Lavery LA, Wunderlich RP, Tredwell JL	Disease management for the diabetic foot: Effectiveness of a diabetic foot prevention program to reduce amputations and hospitalizations	Diabetes Res Clin Pract. 2005 Oct; 0(1):31-7. Epub 2005 Mar 31
	2	American Diabetes Association	Consensus development conference on diabetic foot wound care	Diabetes Care. 1999 Aug; 22(8):1354-1360

	3	American Diabetes Association	Consensus development conference on diabetic foot wound care	Diabetes Care. 1999 Aug; 22(8):1354-1360
	4	American Diabetes Association	Preventive foot care in diabetes	Diabetes Care. 2004 27(Suppl 1):S63-S64
	5	Boulton AJ	Lowering the risk of neuropathy, foot ulcers and amputations	Diabet Med. 1998;15 Suppl 4:S57-9
	6	Frykberg RG, Armstrong DG	The Diabetic Foot 2001. A summary of the proceedings of the American Diabetes Association's 61st Scientific Symposium	J Am Podiatr Med Assoc. 2002 Jan;92(1):2-6
	7	Marston WA	Risk factors associated with healing chronic diabetic foot ulcers: The importance of hyperglycemia	Ostomy Wound Manage. 2006 Mar;52(3):26-39
	8	Mayfield, Janisse D, Reiber GE, Pogach LM, Sanders LJ	Preventive foot care in people with diabetes	Diabetes Care. 1998 21(12):2161-2177
	9	McGill M, Molyneaux L, Yue DK	Which diabetic patients should receive podiatry care? An objective analysis	Intern Med J. 2005 Aug;35(8):451-6
	10	Pham H, Armstrong DG, Harvey C, Harkless LB, Giurini JM, Veves A	Screening techniques to identify people at high risk for diabetic foot ulceration: A prospective multicenter trial	Diabetes Care. 2000 May;23(5):606-11
	11	Ragnarson Tennvall G, Apelqvist J	Prevention of diabetes-related foot ulcers and amputations: A cost-utility analysis based on Markov model simulations	Diabetologia. 2001 Nov;44(11):2077-87
	12	Singh N, Armstrong DG, Lipsky BA	Preventing foot ulcers in patients with diabetes	JAMA. 2005 Jan 12;293(2):217-28

	13	Ulbrecht JS, Cavanagh PR, Caputo GM	Foot problems in diabetes: An overview	Clin Infect Dis. 2004 Aug 1;39 Suppl 2:S73-82
	14	Valk GD, Kriegsman DM, Assendelft WJ	Patient education for preventing diabetic foot ulceration	Cochrane Database Syst Rev. 2005 Jan 25;(1):CD001488
GENERAL	1	American Diabetes Association	Standards of medical care in diabetes-2006	Diabetes Care. 2006 Jan;29 Suppl 1:S4-S42
GLUCOSE MONITORING	1	Bergental RM, Gavin JR 3rd; Global Consensus Conference on Glucose Monitoring Panel	The role of self-monitoring of blood glucose in the care of people with diabetes: A report of a global consensus conference	Am J Med. 2005 Sep;118(suppl 9A):1S-6S
	2	Blonde L, Karter AJ	Current evidence regarding the value of self-monitored blood glucose testing	Am J Med. 2005 Sep;118(suppl 9A):20S-26S
	3	Franciosi M, Pelligrini F, De Berardis G, Belfiglio M, Cavaliere D, Di Nardo B, Greenfield S, Kaplan SH, et al	The impact of blood glucose self-monitoring on metabolic control and quality of life in type 2 diabetic patients: An urgent need for better educational strategies	Diabetes Care. 2001 Nov;24(11):1870-7
	4	Franciosi M, Pelligrini F, De Berardis G, Belfiglio M, Di Nardo B, Greenfield S, Kaplan SH, Rossi MC, Sacco M, et al	Self-monitoring of blood glucose in non-insulin treated diabetic patients: A longitudinal evaluation of its impact on metabolic control	Diabet Med. 2005 Jul;22(7):900-6
	5	Gallichan M	Self-monitoring of glucose by people with diabetes: Evidence based practice	BMJ. 1997 Mar 29;314(7085):964-7
	6	Kennedy L, Herman WH; GOAL A1c Study Team	Glycated hemoglobin assessment in clinical practice: Comparison of the new A1cNow point-of care device with central laboratory testing (GOAL A1C Study)	Diabetes Technol Ther. 2005 Dec;7(6):907-12
	7	Cox DJ, Gonder Frederick L, Julian DM, Clarke W	Long-term follow-up evaluation of blood glucose awareness training	Diabetes Care. 1994 Jan; 17(1):1-5
	8	Evans JM, Newton RW, Ruta DA, MacDonald TM, Stevenson RJ, Morris AD	Frequency of blood glucose monitoring in relation to glycemic control: Observational study with diabetes database	BMJ. 1999 Jul 10;319(7202):83-86
	9	Saudek CD, Rastogi R	Assessment of glycemia in diabetes mellitus -- self-monitoring of blood glucose	J Assoc Physicians India. 2004 Oct; 52:809-15

	10	Abrahamson MJ	Optimal glycemic control in type 2 diabetes mellitus: Fasting and postprandial glucose in context	Arch Intern Med. 2004 Mar 8;164(5):486-91
	11	Larsen ML, Horder M, Mogensen EF	Effect of long term monitoring of glycosylated hemoglobin levels in insulin-dependent diabetes mellitus	N Engl J Med. 1990. Oct 11; 323(15): 1021-1025
	12	LeRoith D, Smith DO	Monitoring glycemic control: The cornerstone of diabetes care	Clin Ther. 2005 Oct;27(10):1489-99
	13	Meier JL, Swislocki AL, Lopez JR, Noth RH, Bartlebaugh P, Siegel D	Reduction in self-monitoring of blood glucose in persons with type 2 diabetes results in cost savings and no change in glycemic control	Am J Manag Care. 2002 Jun;8(6):557-65
	14	Ozmen B, Boyvada S	The relationship between self-monitoring of blood glucose control and glycosylated hemoglobin in patients with type 2 diabetes and without diabetic retinopathy	J Diabetes Complications. 2003 May-Jun;17(3):128-34
	15	Renard E	Monitoring glycemic control: The importance of self-monitoring of blood glucose	Am J Med. 2005 Sep;118(Suppl 9A):12S-19S
	16	Rhee MK et al	Patient adherence improves glycemic control	The Diabetes Educator 2005 March/April 31(2):240-250
	17	Schiel R, Muller UA, Rauchfub J, Sprott H, Muller R	Blood glucose self monitoring in insulin treated type 2 diabetes mellitus: A cross-sectional study with an intervention group	Diabetes Metab. 1999 Sep;25(4):334-40
	18	Valeri C, Pozzili P, Leslie D	Glucose control in diabetes	Diabetes Metab Res Rev. 2004 Nov-Dec;20 Suppl 2:S1-8
	19	Davidson J	Strategies for improving glycemic control: Effective use of glucose monitoring	Am J Med. 2005;118(9A):27S-32S
	20	Gerich JE	The importance of tight glycemic control	Am J Med. 2005;118(9A):7S-11S

	21	Guerci B, Drouin P, Grange V, Bougneres P, Fontaine P, Kerlan V, Passa P, Thivolet Ch, Vialettes B, Charbonnel B; ASIA Group	Self-monitoring of blood glucose significantly improves metabolic control in patients with type 2 diabetes mellitus: The Auto-Surveillance Intervention Active (ASIA) Study	Diabetes Metab. 2003 Dec;29(6):587-94
	22	Hainsworth T	How to maintain optimal glycemic control in diabetes	Nurs Times. 2005 Nov 29-Dec 5;101(48):19-20
	23	Murata GH, Shah JH, Hoffman RM, Wendel CS, Adam KD, Solvas PA, Bokhari SU, Duckworth EC; Diabetes Outcomes in Veterans Study (DOVES)	Intensified blood glucose monitoring improves glycemic control in stable, insulin-treated veterans with type 2 diabetes: The Diabetes Outcomes in Veterans Study (DOVES)	Diabetes Care. 2003 Jun;26(6):1759-63
	24	Martin S, Schneider B, Heinemann L, Ludwig V, Kurth HJ, Kolb H, Scherbaum WA	Self-monitoring of blood glucose in type 2 diabetes and long-term outcome: An epidemiological cohort study	Diabetologia. 2006 Feb;49(2):271-8. Epub 2005 Dec 17
	25	Peterson KA	Diabetes care by primary care physicians in Minnesota and Wisconsin	J Fam Pract. 1994 Apr;38(4):361-7
	26	Shorr RI, Franse LV, Resnick HE, Di Bari M, Johnson KC, Pahor M	Glycemic control of older adults with type 2 diabetes: findings from the Third National Health and Nutrition Examination Survey, 1988-1994	J Am Geriatr Soc. 2000 Mar;48(3):264-7
	27	Turner RC, Cull CA, Frighi V, Holman RR	Glycemic control with diet, sulfonylurea, metformin, or insulin in patients with type 2 diabetes mellitus: Progressive requirement for multiple therapies (UKPDS 49). UK Prospective Diabetes Study (UKPDS) Group	JAMA. 1999 Jun 2;281(21):2005-12
HYPOGLYCEMIA	1	Brackenridge A, Wallbank H, Lawrenson RA, Russell-Jones D	Emergency management of diabetes and hypoglycemia	Emerg Med J. 2006 Mar;23(3):183-5
	2	Cox DJ, Gonder-Frederick LA, Kovatchev BP, Young-Hyman DL, Donner TW, Julian DM, Clarke WL	Biopsychobehavioral model of severe hypoglycemia. II. Understanding the risk of severe hypoglycemia	Diabetes Care. 1999 Dec;22(12):2018-25

	3	Cox DJ, Kovatchev BP, Julian DM, Gonder-Frederick LA, Polonsky WH, Schlundt DG, Clarke WL	Frequency of severe hypoglycemia in insulin dependent diabetes mellitus can be predicted from self monitoring blood glucose data	J Clin Endocrinol Metab. 1994 Dec;79(6):1659-62
	4	Cox DJ, Kovatchev BP, Koev D, Koeva L, Dachev S, Tcharaktchiev D, Protopopova A, Gonder Frederick L, Clarke W	Hypoglycemia anticipation, awareness and treatment training (HAATT) reduces occurrence of severe hypoglycemia among adults with type 1 diabetes mellitus	Int J Behav Med. 2004;11(4):212-8
	5	Cryer PE, Davis SN, Shamoon H	Hypoglycemia in Diabetes	Diabetes Care. 2003 Jun;26(6):1902-12
	6	Dagogo-Jack S	Hypoglycemia in type 1 diabetes mellitus: Pathophysiology and prevention	Treat Endocrinol. 2004;3(2):91-103
	7	Howell MA, Guly HR	A comparison of glucagon and glucose in prehospital hypoglycemia	J Accid Emerg Med. 1997 Jan;14(1):30-2
	8	MacCuish AC, Munro JF, Duncan LJ	Treatment of hypoglycemic coma with glucagon, intravenous dextrose, and mannitol infusion in a hundred diabetics	Lancet. 1970 Nov 7;2(7680):946-9
	9	Muhlhauser I, Koch J, Berger M	Pharmacokinetics and bioavailability of injected glucagon: Differences between intramuscular, subcutaneous, and intravenous administration	Diabetes Care. 1985 Jan-Feb;8(1):39-42
	10	Patrick AW, Collier A, Hepburn DA, Steedman DJ, Clarke BF, Robertson C	Comparison of intramuscular glucagon and intravenous dextrose in the treatment of hypoglycemic coma in an accident and emergency department	Arch Emerg Med. 1990 Jun;7(2):73-7
	11	Vermeulen MJ, Klompas M, Ray JG, Mazza C, Morrison LJ	Subcutaneous glucagon may be better than oral glucose for prehospital treatment of symptomatic hypoglycemia	Diabetes Care. 2003 Aug;26(8):2472-3

	12	Vukmir RB, Paris PM, Yealy DM	Glucagon: Prehospital therapy for hypoglycemia	Ann Emerg. Med. 1991 Apr;20(4):375-9
IMMUNIZATIONS	1	American Diabetes Association	Immunization and prevention of influenza and pneumococcal disease in people with diabetes	Diabetes Care. 2003 Jan;26 Suppl1:126-128
	2	Bridges CB, Fukuda K, Uyeki TM, Cox NJ, Singleton JA; Centers for Disease Control and Prevention, Advisory Committee on Immunization Practices	Prevention and control of influenza. Recommendations of the Advisory Committee on Immunization Practices (ACIP)	MMWR Recomm Rep. 2002 Apr 12;51(RR-3):1-31
	3	CDC	Prevention and control of influenza. Recommendations of the Advisory Committee on Immunization Practices (ACIP)	MMWR Morb Mortal Wkly Rep. 2003 Apr 25;52(No. RR-8):1-36
	4	Centers for Disease Control and Prevention (CDC)	Influenza and pneumococcal vaccination coverage among persons aged > or = 65 years and persons aged 18-64 years with diabetes or asthma--United States, 2003	MMWR Morb Mortal Wkly Rep. 2004 Nov 5;53(43):1007-12
	5	Heymann AD, Shapiro Y, Chodick G, Shalev V, Kokia E, Kramer E, Shemer J	Reduced hospitalizations and death associated with influenza vaccination among patients with and without diabetes	Diabetes Care. 2004 Nov;27(11):2581-4
	6	Smith S, Poland GA	Use of influenza and pneumococcal vaccines in people with diabetes	Diabetes Care. 2000 Jan;23(1):95-108
	7	Smith SA, Poland GA; American Diabetes Association	Influenza and pneumococcal immunization in diabetes	Diabetes Care. 2004 Jan;27 Suppl 1:S111-3
LIPIDS	1	Anderson JW et al	Carbohydrate and fiber recommendations for individuals with diabetes: A quantitative assessment and meta-analysis of the evidence	Journal of American College of Nutrition 2004; 23(1): 5-17

	2	Berra FB et al	Managing abnormal blood lipids. A collaborative approach	Circulation 2005 Nov; 112 (20): 3184-209
	3	Derosa G et al	Comparison of fluvastatin + fenofibrate combination therapy and fluvastatin monotherapy in the treatment of combined hyperlipidemia, type 2 diabetes mellitus, and coronary heart disease: A 12-month, randomized, double-blind, controlled trial	Clinical Therapeutics 2004;26(10): 1599-1607
	4	Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults	Executive Summary of the Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III)	JAMA. 2001;285(19):2486-2497
	5	Heart Protection Study Collaborative Group	MRC/BHF Heart Protection Study of cholesterol lowering with simvastatin in 20,536 high-risk individuals: A randomised placebo-controlled trial	Lancet. 2002 Jul 6;360:7-22
	6	Heart Protection Study Collaborative Group	MRC/BHF Heart Protection Study of cholesterol lowering with simvastatin in 5,963 people with diabetes: A randomised placebo-controlled trial	Lancet. 2003 Jun 14;361:2005-2016
	7	Grundy S, et al	Implications of recent clinical trials for the National Cholesterol education Program Adult Treatment Panel II guidelines	Circulation. 2004 Jul 13;110:227-239
	8	Haffner S	Management of dyslipidemia in adults with diabetes	Diabetes Care. 1998;21(1):160-178
	9	Henkin Y, Shai I, Zuk R, Brickner D, Zuilli I, Neumann L, Shany S	Dietary treatment of hypercholesterolemia: Do dieticians do it better? A randomized controlled trial	Am J Med. 2000;109:549-555
	10	Pasternak RC et al	Effect of combination therapy with lipid-reducing drugs in patients with coronary heart disease and normal cholesterol levels	Annals of Internal Medicine

	11	Simons L et al	Effects of ezetimibe added to on-going statin therapy on the lipid profile of hypercholesterolemic patients with diabetes mellitus or metabolic syndrome	Current Medical Research and Opinion
	12	Stone N, Bilek S, Rosenbaum S	Recent National Cholesterol Education Program Adult Treatment Panel III Update: Adjustments and Options	The American Journal of Cardiology 2005; 96 Aug: 53-59
	13	Strandberg T, Vanhanen H	Drug treatment for hyperlipidaemias	EBM guidelines Oct 5 2003
	14	Wierzbicki AS	Fields of dreams, fields of tears: a perspective on the fibrate trials	Int J Clin Pract 2006 Apr;60(4):442-49
	15	Canadian Diabetes Association Clinical Practice Guidelines Expert Committee	Dyslipidemia in adults with diabetes	Canadian Journal of Diabetes 2006;30(3):230-240
MEN'S HEALTH	1	Chaiban JT, Azar ST	Erectile dysfunction in diabetic patients	J Med Liban 2004;52(4):217-9
	2	Saenz de Tejada I et al	Pathophysiology of erectile dysfunction	J Sex Med 2005(1):26:39
	3	Foresta C et al	Diagnosing erectile dysfunction: Flow-chart	Int J Androl 2005 Suppl 2:64:8

	4	Brown JS et al	Urologic complications of diabetes	Diabetes Care. 2005; 28(1): 177-85
MENTAL HEALTH	1	Ewing JA.,	Detecting Alcoholism: The CAGE Questionnaire	JAMA 1984; 252 (14): 1905-1907
	2	Kroenke K, Spitzer RL, Williams JB.	The Patient Health Questionnaire -2: Validity of a Two Item Depression Screener.	Med Care 2003; 41:1284-1292
	3	Spitzer R, Kroenke K, Williams J	Validation and utility of a self-report version of PRIME-MD: the PHQ	Journal of the American Medical Association 1999; 282: 1737-1744
	4	Welch GW, Jacobson A, Polonsky W.	The Problem Areas in Diabetes (PAID) scale. An examination of its clinical utility	Diabetes Care 1997; 20(5): 760-766
RENAL DISEASE AND MICRO-MACRO ALBUMINURIA	1	American Diabetes Association	Nephropathy in diabetes	Diabetes Care. 2004 Jan; 27 (1): 79-83
	2	Bakris GL, Williams M, Dworkin L, Elliot WJ, Epstein M, Toto R, Tuttle K, Douglas J, Hsueh W, Sowers J	Preserving renal function in adults with hypertension and diabetes: a consensus approach. National Kidney Foundation Hypertension and Diabetes Executive Committees Working Group	Am J Kidney Dis. 2000 Sep;36(3):646-61
	3	Brenner BM, Cooper ME, de Zeeuw D, Keane WF, Mitch WE, Parving HH, Remuzzi G, Snapinn SM, Zhang Z, Shahinfar S; RENAAL Study Investigators	Effects of losartan on renal and cardiovascular outcomes in patients with type 2 diabetes and nephropathy	N Engl J Med. 2001 Sep 20;345(12):861-9

	4	DCCT	Effect of intensive therapy on the development and progression of diabetic nephropathy in the Diabetes Control and Complications Trial. The Diabetes Control and Complications (DCCT) Research Group	Kidney Int. 1995 Jun;47(6):1703-20
	5	Eknoyan G, Hostetter T, Bakris GL, Hebert L, Lavery AS, Parving HH, Steffes MW, Toto R	Proteinuria and other markers of chronic kidney disease: A position statement of the national kidney foundation (NKF) and the national institute of diabetes and digestive and kidney diseases (NIDDK)	Am J Kidney Dis. 2003 Oct;42(4):617-22
	6	Gall MA, Hougaard P, Borch-Johnsen K, Parving HH	Risk factors for development of incipient and overt diabetic nephropathy in patients with non-insulin dependent diabetes mellitus: prospective, observational study	BMJ. 1997 Mar 15;314(7083):783-8
	7	Garg JP, Bakris GL	Microalbuminuria: Marker of vascular dysfunction, risk factor for cardiovascular disease	Vasc Med. 2002 Feb;7(1):35-43
	8	Hansen HP, Tauber-Lassen E, Jensen BR, Parving HH	Effect of dietary protein restriction on prognosis in patients with diabetic nephropathy	Kidney Int. 2002 Jul;62(1):220-8
	9	Heart Outcomes Prevention Evaluation Study Investigators	Effects of ramipril on cardiovascular and microvascular outcomes in people with diabetes mellitus: Results of the HOPE study and MICRO-HOPE substudy. Heart Outcomes Prevention Evaluation Study Investigators	Lancet. 2000 Jan 22;355(9200):253-9
	10	Kasiske BL, Lakatua JD, Ma JZ, Louis TA	A meta-analysis of the effects of dietary protein restriction on the rate of decline in renal function	Am J Kidney Dis. 1998 Jun;31(6):954-61
	11	Klausen K, Borch-Johnsen K, Feldt-Rasmussen B, Jensen G, Clausen P, Scharling H, Appleyard M, Jensen JS	Very low levels of microalbuminuria are associated with increased risk of coronary heart disease and death independently of renal function, hypertension, and diabetes	Circulation. 2004 Jul 6;110(1):32-5. Epub 2004 Jun 21
	12	Kramer H, Molitch ME	Screening for kidney disease in adults with diabetes	Diabetes Care. 2005 Jul;28(7):1813-6
	13	Kramer HJ, Nguyen QD, Curhan G, Hsu CY	Renal insufficiency in the absence of albuminuria and retinopathy among adults with type 2 diabetes mellitus	JAMA. 2003 Jun 25;289(24):3273-7

	14	Laffel LM, McGill JB, Gans DJ	The beneficial effect of angiotensin-converting enzyme inhibition with captopril on diabetic nephropathy in normotensive IDDM patients with microalbuminuria. North American Microalbuminuria Study Group	Am J Med. 1995 Nov;99(5):497-504
	15	Levey AS, Bosch JP, Lewis JB, Greene T, Rogers N, Roth D	A more accurate method to estimate glomerular filtration rate from serum creatinine: A new prediction equation. Modification of Diet in Renal Disease Study Group	Ann Intern Med. 1999 Mar 16;130(6):461-70
	16	Levinsky NG	Specialist evaluation in chronic kidney disease: Too little, too late	Ann Intern Med. 2002 Sep 17;137(6):542-3
	17	Lewis EJ, Hunsicker LG, Bain RP, Rohde RD	The effect of angiotensin-converting enzyme inhibition on diabetic nephropathy. The Collaborative Study Group	N Engl J Med. 1993 Nov 11;329(20):1456-62
	18	Lewis EJ, Hunsicker LG, Clarke WR, Berl T, Pohl MA, Lewis JB, Ritz E, Atkins RC, Rohde R, Raz I; Collaborative Study Group	Renoprotective effect of the angiotensin-receptor antagonist irbesartan in patients with nephropathy due to type 2 diabetes	N Engl J Med. 2001 Sep 20;345(12):851-60
	19	National Kidney Foundation	K/DOQI clinical practice guidelines for chronic kidney disease: Evaluation, classification, and stratification	Am J Kidney Dis. 2002 Feb;39(2 Suppl 1):S1-266
	20	Pijls LT, de Vries H, Donker AJ, van Eijk JT	The effect of protein restriction on albuminuria in patients with type 2 diabetes mellitus: A randomized trial	Nephrol Dial Transplant. 1999 Jun;14(6):1445-53

	21	Ravid M, Lang R, Rachmani R, Lishner M	Long-term renoprotective effect of angiotensin-converting enzyme inhibition in non-insulin-dependent diabetes mellitus. A 7-year follow up study	Arch Intern Med. 1996 Feb 12;156(3):286-9
	22	Riley MD, Dwyer T	Microalbuminuria is positively associated with usual dietary saturated fat intake and negatively associated with usual dietary protein intake in people with insulin-dependent diabetes mellitus	Am J Clin Nutr. 1998;67:50-57
	23	Hebert LA, et al	Effects of blood pressure control on progressive renal disease in blacks and whites. Modification of Diet in Renal Disease Study Group	Hypertension. 1997; 30(3pt1):428-35
SMOKING	1	Haire-Joshu D, Glasgow RE, Tibbs TL	Smoking and diabetes	Diabetes Care. 1999 22(11): 1887-98
WOMEN'S HEALTH	1	American Diabetes Association	Preconception care of women with diabetes	Diabetes Care. 2004 Jan;27 Suppl 1:S76-8
	2	Chau DL, Edelman SV, Chandran M	Osteoporosis and diabetes	Curr Diab Rep. 2003 Feb;3(1):37-42
	3	Holing EV	Preconception care of women with diabetes: The unrevealed obstacles	J Matern Fetal Med. 2000 Jan-Feb;9(1):10-3
	4	Ivers RQ, Cumming RG, Mitchell P, Peduto AJ; Blue Mountains Eye Study	Diabetes and risk of fracture: The Blue Mountains Eye Study	Diabetes Care. 2001 Jul;24(7):1198-203

	5	Schwartz AV, Hillier TA, Sellmeyer DE, Resnick HE, Gregg E, Ensrud KE, Schreiner PJ, Margolis KL, Cauley JA, Nevitt MC, Black DM, Cummings SR	Older women with diabetes have a higher risk of falls: A prospective study.	Diabetes Care. 2002 Oct;25(10):1749-54
	6	Schwartz AV, Sellmeyer DE	Women, type 2 diabetes, and fracture risk	Curr Diab Rep. 2004 Oct;4(5):364-9
	7	Schwartz AV, Sellmeyer DE, Strotmeyer ES, Tylavsky FA, Feingold KR, Resnick HE, Shorr RI, Nevitt MC, Black DM, Cauley JA, Cummings SR, Harris TB; Health ABC Study	Diabetes and bone loss at the hip in older black and white adults	J Bone Miner Res. 2005 Apr;20(4):596-603. Epub 2004 Dec 13
	8	Tuominen JT, Impivaara O, Puukka P, Ronnema T	Bone mineral density in patients with type 1 and type 2 diabetes	Diabetes Care. 1999 Jul;22(7):1196-200
	9	Walters BN, Senaratne S	Consensus statement on diabetes control in preparation for pregnancy	Med J Aust. 2005 Feb 7;182(3):141; author reply 141-2